Roman Nowak, Andrzej Tokarowski, Stanisław Mrozek, Bogdan Wójcik¹

The internal stabilization system DERO in the operative treatment of the spinal injuries

(Wewnętrzny system stabilizacji DERO w leczeniu urazowych uszkodzeń kręgosłupa)

Summary. Our experience in the operative treatment of the spinal trauma with the use of the DERO instrumentation was presented. In order to reduce and stabilize spinal fractures and dislocations the long-segment posterior stabilization based on hooks and pedicular screws and short-segment stabilization based only on screws were used in a group of 15 pa-

tients. In every case a good radiological outcome acessed as a spinal canal shape restoration was obtained. The use of the short segment stabilization with pedicular screws shortened the area of spondylodesis preserving the same as in the longsegment stabilization ability to correct spinal deformation.

List of figures:

- Fig.1. Patient K.T. (350/97). Complete anterior dislocation C₆/C₇.
- Fig. 2,3. The same patient after posterior stabilization with p.-DERO system.
- Fig. 4,5. Patient M.S. (3231/96). Fracture-dilocation at the L4 level, the result of the road accident.
- Fig.6. Longitudinal reconstruction made by computed tomography representing spinal stenosis at the injured level.
- Fig.7,8. Radiogrammes of the same patient after posterior decompression and stabilization with transpedicular srews of the DERO system.
- Fig.9,10. CT scans at the level L_4 before and after the operation. The spinal canal decompression is visualised.

Authors:

¹ Roman Nowak, Andrzej Tokarowski, Stanisław Mrozek, Bogdan Wójcik. from Orthopaedic Clinic of the Silesian Medical Academy Director: Prof. dr hab.n.med. A.Tokarowski.

Corespondence and reprint request to:	
	Prof. dr hab.n.med. Andrzej T o k a r o w s k i
	Katedra i Klinika Ortopedii ŚlAM,
	Szpital Górniczy w Sosnowcu
	ul. Długosza
	41-200 Sosnowiec